

BOARD  
RIDING  
since  
81



# WINDSURFING RANGE OVERVIEW

2 0 1 6

# FANATIC





**RADICAL WAVE**

QUAD TE STUBBY TE TRIWAVE TE



**WAVE / FREESTYLE**

FREEWAVE TXTR FREEWAVE TE FREEWAVE CWS



**WAVE / FREESTYLE**

SKATE TE SKATE



**FREECARVE**

HAWK LTD HAWK BAMBOO



**FREEMOVE**

GECKO LTD GECKO BAMBOO GECKO HRS



**SLALOM/SPEED**

FALCON TE FALCON FALCON FORMULA FALCON SPEED



**ENTRY/KIDS**

VIPER RIPPER

MODEL	VOLUME	WIDTH	LENGTH	BOARD TECHNOLOGY	REC. SAIL SIZES	WAVE	FREESTYLE	FREERIDE / COMFORT	FREERIDE / PERFORMANCE	SLALOM / SPEED	ENTRY
Quad TE 69	69l	53.5 cm	224 cm	IC / LF	3.3 - 5.0 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Quad TE 75	75l	55.5 cm	225 cm	IC / LF	3.7 - 5.3 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Quad TE 81	81l	57.5 cm	226 cm	IC / LF	4.0 - 5.8 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Quad TE 90	90l	59.5 cm	227 cm	IC / LF	4.2 - 6.5 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Stubby TE 77	77l	55 cm	212 cm	IC / LF	3.3 - 5.3 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Stubby TE 88	88l	57.5 cm	215 cm	IC / LF	4.0 - 5.8 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
TriWave TE 74	74l	56 cm	222 cm	IC / LF	3.5 - 5.3 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
TriWave TE 82	82l	58 cm	224 cm	IC / LF	4.0 - 5.8 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
TriWave TE 89	89l	59.5 cm	227 cm	IC / LF	4.2 - 6.2 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
TriWave TE 99	99l	62 cm	229 cm	IC / LF	4.5 - 6.7 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
FreeWave TE 76; FreeWave CWS 76	76l	56 cm	232 cm	IC / LF; CWS	3.7 - 6.0 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
FreeWave TeXtreme® 86; FreeWave TE 86; FreeWave CWS 86	86l	58.5 cm	233 cm	TeXtreme® IC / LF; IC / LF; CWS	4.2 - 6.5 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
FreeWave TeXtreme® 96; FreeWave TE 96; FreeWave CWS 96	96l	61 cm	234 cm	TeXtreme® IC / LF; IC / LF; CWS	4.5 - 6.7 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
FreeWave TeXtreme® 106; FreeWave TE 106; FreeWave CWS 106	106l	63.5 cm	235 cm	TeXtreme® IC / LF; IC / LF; CWS	4.7 - 7.0 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
FreeWave TE 116; FreeWave CWS 116	116l	66 cm	236 cm	IC / LF; CWS	5.0 - 7.3 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Skate TE 86	86l	60 cm	228 cm	IC / LF	3.7 - 5.9 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Skate TE 94	94l	62 cm	228 cm	IC / LF	4.2 - 6.4 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Skate TE 100	100l	64 cm	228 cm	IC / LF	4.5 - 7.0 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Skate TE 108	108l	66.5 cm	226 cm	IC / LF	5.0 - 7.5 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Skate 100	100l	63.5 cm	235 cm	BGS / LF	4.5 - 7.0 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Skate 110	110l	66.5 cm	237 cm	BGS / LF	5.0 - 7.5 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Hawk LTD 99; Hawk Bamboo 99	99l	62 cm	239 cm	IC / BSLT / LF; BOS / LF	4.5 - 7.5 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Hawk LTD 113; Hawk Bamboo 113	113l	66 cm	241 cm	IC / BSLT / LF; BOS / LF	5.0 - 8.0 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Hawk LTD 124; Hawk Bamboo 124	124l	70 cm	242 cm	IC / BSLT / LF; BOS / LF	5.5 - 8.5 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Gecko LTD 98; Gecko Bamboo 98; Gecko HRS 98	98l	63 cm	239 cm	IC / BSLT / LF; BOS / LF; HRS	4.5 - 7.5 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Gecko LTD 105; Gecko Bamboo 105; Gecko HRS 105	105l	69 cm	239 cm	IC / BSLT / LF; BOS / LF; HRS	5.0 - 8.0 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Gecko LTD 112; Gecko Bamboo 112; Gecko HRS 112	112l	73 cm	239 cm	IC / BSLT / LF; BOS / LF; HRS	5.5 - 8.5 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Gecko LTD 120; Gecko Bamboo 120; Gecko HRS 120	120l	76 cm	242 cm	IC / BSLT / LF; BOS / LF; HRS	6.0 - 9.0 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Gecko LTD 133; Gecko Bamboo 133; Gecko HRS 133	133l	78 cm	246 cm	IC / BSLT / LF; BOS / LF; HRS	7.5 - 9.5 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Gecko LTD 146; Gecko Bamboo 146; Gecko HRS 146	146l	83 cm	250 cm	IC / BSLT / LF; BOS / LF; HRS	7.0 - 10.0 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Gecko Bamboo 156+; Gecko HRS 156+	156l	85 cm	252 cm	BOS / LF; HRS	8.0 - 11.0 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Falcon Slalom TE 90	90l	59 cm	235 cm	BCS / LF	5.0 - 7.8 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Falcon Slalom TE 99; Falcon Slalom 99	99l	63 cm	235 cm	BCS / LF; BGS / LF	5.5 - 8.2 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Falcon Slalom TE 112; Falcon Slalom 112	112l	70 cm	230 cm	Full BCS / LF (Deck & Bottom); BGS / LF	6.0 - 8.6 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Falcon Slalom TE 121; Falcon Slalom 121	121l	75 cm	230 cm	Full BCS / LF (Deck & Bottom); BGS / LF	6.5 - 9.2 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Falcon Slalom TE 129	129l	80 cm	230 cm	Full BCS / LF (Deck & Bottom)	6.8 - 9.5 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Falcon Slalom TE 138	138l	85 cm	230 cm	Full BCS / LF (Deck & Bottom)	7.0 - 10.0 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Falcon Slalom TE 152	152l	90 cm	230 cm	Full BCS / LF (Deck & Bottom)	7.5 - 11.0+ m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Falcon Formula 172	172l	100 cm	230 cm	Full BCS / LF (Deck & Bottom)	8.0 - 12.5+ m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Falcon Speed 44 Lüderitz	54l	44 cm	230 cm	BCS / LF	4.0 - 6.5 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Falcon Speed 50	68l	50 cm	230 cm	BCS / LF	4.5 - 7.0 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Falcon Speed 56	79l	56 cm	235 cm	BCS / LF	4.5 - 7.5 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Viper 70	150l	70 cm	270 cm	HRS - Softdeck	2.0 - 8.0 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Viper 75	160l	75 cm	275 cm	HRS - Softdeck	2.0 - 10.0 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Viper 80	190l	80 cm	280 cm	HRS - Softdeck	2.0 - 10.0 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Viper 85	220l	85 cm	285 cm	HRS - Softdeck	2.0 - 10.0 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Viper 91	240l	91 cm	290 cm	HRS - Softdeck	2.0 - 11.0 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Ripper 102	102l	69 cm	242 cm	HRS - Softdeck	1.5 - 8.0 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
Ripper 120	120l	69 cm	245 cm	HRS - Softdeck	1.5 - 8.0 m <sup>2</sup>	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■

TXTR / IC / LF TeXtreme® / Innegra Carbon Light Finish Technology

IC / LF Innegra Carbon Light Finish Technology

IC / BSLT / LF Innegra Carbon / Basalt Cork Sandwich Light Finish Technology

BGS / LF Biax Carbon Sandwich Light Finish Technology

BGS / LF Biax Glass Sandwich Light Finish Technology

BOS / LF Bamboo Sandwich Light Finish Technology

CWS / LF Custom Wood Light Finish Technology

HRS High Resistance Skin




## WINDSUP INFLATABLES



MODEL	VOLUME	WIDTH	LENGTH	THICKNESS	BOARD TECHNOLOGY
Viper Air 315	315l	33.5"/85.1 cm	9'10" / 299.7 cm	6" / 15 cm	Double Layer Heavy Duty
Ripper Air WS 187	187l	29" / 73.7 cm	9'0" / 274.3 cm	4.5" / 11.5 cm	Double Layer Heavy Duty
	WAVE ADVANCED	WAVE ALLROUND	ENTRY LEVEL / ALLROUND	TOURING	RACE
Viper Air 315	■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
Ripper Air WS 187	■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■

## POINT OF SALE

### STICKER & ACCESSORIES




- STICKER »FANATIC«**  
1 SET = 10 PCS 12 × 2 CM
- STICKER »FANATIC« SILVER**  
1 SET = 10 PCS 12 × 2 CM
- TEX-STICKER »FANATIC«**  
LOGO TEAM
- SAILSTICKER »FANATIC«**  
(BOTH SIDE PRINTED)
- STICKER »F«**  
1 SET = 5 PCS 8 × 11 CM
- STICKER »F« SILVER**  
1 SET = 10 PCS 4.6 × 6 CM
- SAILSTICKER »F«**  
(SET FOR FRONT AND BACK)
- LOGO STICKER**  
SET 68 × 68 CM
- KEYRING**  
6.5 CM × 3 CM
- BEACH CHAIR**  
FOLDABLE
- DOORMAT »F«**  
75CM × 45 CM
- BUOY**  
120 × 100 CM, 180 × 160 CM

## APPAREL



- HOODIE »FANATIC«**  
GREY, MEN S - XL
- TANKTOP »FANATIC«**  
MINT, WOMEN S - L
- T-SHIRT »RIDE«**  
GREY, MEN S - XL
- T-SHIRT »FANATIC«**  
WHITE, MEN S - XL
- T-SHIRT »ADDICTED«**  
BLUE, MEN S - XL
- WET SHIRT »FANATIC«**  
RED, UNISEX S - XXL



- FITTED NET CAP**  
HEATHER GREY  
UNISEX
- FITTED CAP »FANATIC«**  
DARK HEATHER GREY  
UNISEX
- FITTED CAP »F«**  
RED  
UNISEX
- FITTED VISOR »FANATIC«**  
HEATHER GREY  
UNISEX
- BEANIE**  
GREY  
UNISEX

### TENTS, BANNER & FLAGS



- FOLDING TENT**  
300 × 300 CM
- STAR TENT**  
1130 × 450 CM
- BANNER**  
68 × 200 CM
- FLAG STANDARD**  
100 × 100 CM
- FLAG VERTICAL**  
160 × 60 CM, 220 × 80 CM
- BEACH FLAG**  
421 × 80 CM



RIDER COVER: **VICTOR FERNANDEZ**

PHOTO CREDITS: **JOHN CARTER**

ALL DATA SUBJECT TO CHANGE © FANATIC 2015

**FOR INTERNATIONAL DISTRIBUTION CONTACTS PLEASE CHECK:**

**WWW.FANATIC.COM/WINDSURFING**, BOARDS & MORE GMBH, RABACH 1, A-4591 MOLLN, PHONE: +43 (0)7584 403-0

